

# Hemp Seeds Market

SGID	035-0001
Date	Wed June 3 18:41:22 MDT 2019
PlateUID	G.60
PipelineMD5	c00ce10f9ca0c73fb4b710b254b105f4

Stability Ancestry

Greater genetic homozygosity leads to greater phenotypic stability which is the goal when breeding a consistently superior strain. 3W1 tested as 54.20 % homozygous (stable) and would be over 90% stable after 6 generations of sibling crosses.

# Ancestry is a description of how 3W1 partitions into the four major clades currently identified within *Cannabis*. The pedigree of 3W1 is 10.80 % NLDT1 (similar to the Durban Poisons and Haze), 53.13 % NLDT2 (Hawaiian types fall into this clade), 23.91 % BLDT (Afghan and/or Kush genetics), and 12.16 % Hemp (like Carmagnola and USO-31).





## Similarity

#### Evolution

The heat map represents how similar at the DNA level 3W1 is in relation to those in our reference database. The most similar strains (darker) are more recently related strains.

The figure shows the closest relatives to 3W1 and it's most likely relation to fifteen popular and well-defined strains. Branch lengths are proportional to evolutionary distance.





## **Population Structure**

The population structure is similar to the ancestry analysis, but shows 3W1 in the broader context of our reference database. Bars of a single color indicate strains with the smallest degree of admixture.



#### Star Chart

*Cannabis* is a diverse plant taxa with a complex breeding history. This star chart illustrates hybridization events leading to the modern strains. Evolutionary distance is measured outwards from the inside of the star. Connections between rays indicate the degree of hybridization between lines.



#### PCA & Clustering

We read thousands of genetic markers from 3W1 and compared them to hundreds of other plants. Next, we reduced this deluge of data down to the most informative principle components (PCs) - dimensions of variation. Three of the most important PCs are represented by one axis in the three below. The plants are partitioned into six groups based on how they cluster in this PC space. Each cluster is assigned a color and the arrows point to plant that is closest to each cluster's center. 3W1 is marked with a cannabis leaf in each figure and its five nearest neighbors are listed in the table at the bottom. Note that each figure displays two PCs. The upper two figures both have PC1 running horizontally and the two rightmost figures have PC3 running vertically. PC2 runs vertically through the top-left figure, horizontally through the bottom-right figure, and is absent from the figure in the corner. The percent of variation explained by each component is listed under its label.

